Refine Search

Search Results -

Terms	Documents
L4 and L6	15

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:
L7

[Refine Search]

[Recall Text] [Clear] [Interrupt]

Search History

DATE: **Thursday, November 03, 2005**   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=NO; OP=ADJ			
L7	l4 and L6	15	L7
L6	(power or enabl$4 or disabl$4 or connect$5 or disconnect$4) same L5	3895	L6
L5	(memory near5 (subsystem or partition or region or section or area or bank)) with (rank$4 or class or type)	13573	L5
L4	determin$5 with l1	701	L4
L3	prioritz$5 with l1	0	L3
L2	which with L1	0	L2
L1	(memory near5 (subsystem or partition or region or section or area or bank)) with cach$4	7906	L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L9 and L12	14

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L13

[Refine Search]

[Recall Text] [Clear] [Interrupt]

Search History

DATE: Thursday, November 03, 2005   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
\multicolumn	*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ*		
L13	l9 and L12	14	L13
L12	prioritiz$5	27139	L12
L11	l8 same prioritiz$5	3	L11
L10	l6 and L9	54	L10
L9	(memory near5 (subsystem or partition or region or section or area or bank)) with (rank$4 or class or type) with cach$4	225	L9
L8	(memory near5 (subsystem or partition or region or section or area or bank)) same (rank$4 or class or type) same cach$4	909	L8
L7	l4 and L6	15	L7
L6	(power or enabl$4 or disabl$4 or connect$5 or disconnect$4) same L5	3895	L6
L5	(memory near5 (subsystem or partition or region or section or area or bank)) with (rank$4 or class or type)	13573	L5
L4	determin$5 with l1	701	L4

L3	prioritz$5 with l1	0	L3
L2	which with L1	0	L2
L1	(memory near5 (subsystem or partition or region or section or area or bank)) with cach$4	7906	L1

END OF SEARCH HISTORY

Freeform Search

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Term: l9 and L16

Display: 15 **Documents in Display Format:** - **Starting with Number** 1

Generate: ○ **Hit List** ⊙ **Hit Count** ○ **Side by Side** ○ **Image**

[Search]   [Clear]   [Interrupt]

Search History

DATE: **Thursday, November 03, 2005**   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ			
L17	l9 and L16	11	L17
L16	power with adapt$5	189412	L16
L15	(6895482 or 5713003).pn. and l14	2	L15
L14	L13 not l11	13	L14
L13	l9 and L12	14	L13
L12	prioritiz$5	27139	L12
L11	l8 same prioritiz$5	3	L11
L10	l6 and L9	54	L10
L9	(memory near5 (subsystem or partition or region or section or area or bank)) with (rank$4 or class or type) with cach$4	225	L9
L8	(memory near5 (subsystem or partition or region or section or area or bank)) same (rank$4 or class or type) same cach$4	909	L8
L7	l4 and L6	15	L7
L6	(power or enabl$4 or disabl$4 or connect$5 or disconnect$4) same L5	3895	L6
L5	(memory near5 (subsystem or partition or region or section or area or bank))	13573	L5

with (rank$4 or class or type)

L4	determin$5 with l1	701	L4
L3	prioritz$5 with l1	0	L3
L2	which with L1	0	L2
L1	(memory near5 (subsystem or partition or region or section or area or bank)) with cach$4	7906	L1

END OF SEARCH HISTORY